

The background of the image features a series of concentric, flowing, orange-yellow lines that resemble sound waves or ripples in water. These lines are composed of a fine grid of dots and are set against a dark, solid background.

**GAMA SONIC®**  
**SOLAR LIGHTING**

2026

## TABLE OF CONTENTS

Gama Sonic® - Who we are	3
Why Breakthrough Technology Matters	4
Commercial Series By Gama Sonic®	6
Centennial Commercial Solar LED Post Light	8
Modern Commercial Solar LED Post Light	10
Denali Commercial Solar LED Post Light	12
Contemporary Square Solar Post Light - Commercial Edition	14
Imperial III Commercial Solar Post Light	16
Grand Imperial Commercial Solar LED Post Light	18
Plaza Solar Wall Light	19
Commercial Solar Shelter Light	20
Solar Security & Area Light	21
Dual Color Solar Flood Light	22
Solar Pillar Commercial Bollard	24
Vantage Bollard Solar Pathway Light	25
Residential Series by Gama Sonic®	26
Victorian Morph Solar Light	28
Victorian Bulb Solar Light	29
Aria Solar Light	30
Royal Bulb Solar Light Brushed Bronze	32
Royal Bulb Solar Light Black	34
Royal Bulb Solar Light Weathered Bronze	35
Haven Solar Light	36
Baytown II Bulb Solar Lamp	37
Pagoda Bulb Solar Lamp	38
Polaris Solar Light	39
Orion Solar Light	40
Prairie Bulb Solar Light	41
Modern Nova Translucent Solar Light	42
Amphora Flame Bulb Solar Light	43
Novaedge Solar Light	44
Aspen Solar Light	45
Imperial Trio Bulb Solar Post Light	46
Halo Solar Post Light	47
Contemporary Square Solar Post Light	48
Eclipse Downlight Solar Wall Light	50
Eclipse Backlight Solar Wall Light	51
Cottage Solar Barn Light	52
Carriage Solar Barn Light	53
Modern Farmhouse Solar Wall Light	54
Architectural Solar Wall Accent Light	55
Solar Address Wall Plaque Light	56

Grand Solar Uplight Planter Base	57
Contemporary Square Solar Path Light	58
Sentry Modern Pathway Light	59
Solar Garden Light Shepherd Hook	60
Tri-Color Progressive Solar Spotlight	61
Luxor Stainless Steel Bollard Solar Light	62
Luxor Solar Pathway Light	62
Luxor Solar Post Cap Light	63
Gothic Solar Post Cap Light	64
Luna II Solar Post Cap/Pier Mount Light	65
Bulbs	66
Batteries	66
Accessories	66
Posts	67




## Who We Are

Gama Sonic® is the world leader in upscale, high quality solar lighting for homes, businesses and outdoor spaces. We develop, manufacture and market residential and commercial/industrial grade, energy-efficient outdoor solar powered lighting products. Since 2001, our multiple patented technologies have introduced innovative and cost-effective outdoor solar lighting solutions that provide unsurpassed levels of illumination and reliability. Gama Sonic® distributes products around the globe.

### OUR MISSION

Our singular mission is to provide a solar solution for replacing traditional gas and electrical fixtures with an equivalent look, quality, duration and brightness. Gama Sonic® Solar lights can be easily installed anywhere outdoors without any electrical wiring, trenching or digging, and most importantly, without compromising performances of traditional lighting.

## Our Story





## Why Breakthrough Technology Matters

### Over Twenty (20) Design and Utility Patents

No matter what outdoor lighting challenges you face, choosing a technology-rich solution makes all the difference. Solar-powered products have been around for years, but it took the research and development expertise of Gama Sonic® engineers to create rechargeable solar lighting designs that outshine and outlast every major competitor. We stay ahead of the design curve by creating and testing products that fit a wide variety of residential and commercial applications.

What this means to you: Enjoying a safer, more reliable, and more cost-effective investment for your lighting budget.

 LED Technology	 Easy Installation	 No Wiring
 Weather Resistant	 Maintenance Free	 Cost Efficient
 Eco Friendly	 2 Year Warranty (Residential Products)	 5 Year Warranty (Commercial Products)



**GS Cone Technology** is a patented technology which allows our solar lamps to disburse more light efficiently and spreading the directional LED rays down and around the light fixture.

**Patent #7172307**



**Morph Solar Panel Technology** is our ground-breaking process of capturing more power from the sun. Monocrystalline solar cells are molded to the surface of the lamp, "morphing" the lamp into a solar panel.



**Translucent Solar Panel (TSP)** is an industry changing technology that transforms the largest surface areas of the light fixture into solar panels - the glass panes. This innovative technology embeds the solar cells into the glass, maximizing the power from the sun.

**Patent #12,199,558**



**GS Solar LED Light Bulb** is a patented technology that replicates the conventional look and feel of the traditional bulb in outdoor solar-powered lamps.

**Patent #9458970**



**LuminCore Technology** is our latest technology, meticulously engineered to illuminate your space with precision. Featuring strategically placed 24 LEDs in a pyramid formation, this innovative design ensures consistent illumination from all directions, mimicking the light distribution of a standard bulb while offering a sleeker, modern aesthetic.


# Commercial Series by **GAMA SONIC®**

Since 2013, Gama Sonic's Commercial Series line has been installed in parks, communities and cities across North America, bringing a real maintenance-free, eco-friendly, and cost-effective alternative to traditional pedestrian lighting.

 Watch Video  
to Learn More



## Our Partners:





The Centennial Solar Light is a commercial grade, high-performance solar lamp providing a stunning 1000 lumens of bright white (6000K) light for up to 8 nights. This solar lamp's weather resistant, coastal approved construction is perfect for commercial and residential areas such as pedestrian walkways, parking lots, and community parks. The Centennial Solar Light is the practical solution for any outdoor lighting application.

## Centennial Commercial Solar LED Post Light

- Automatic dusk to dawn operation
- Corrosion-resistant, powder-coated cast aluminum construction
- IP65-rated, weather-resistant design
- 64 SMD LEDs
- Exterior low/off/high switch
- 22W tempered glass SunPower™ solar panel
- Patent #7172307




**Customizable Brightness Schedule:** Dynamic timing and brightness settings to meet your needs (adapts smartly to changing night durations) - Available For Special Order

[Watch Product Video](#)



High setting



\*Beam diameter is based on quantity of illumination [IES Recommended Light Levels] RP-8-18 for Walkways/Bikeways of a minimum 0.2 Foot Candle.

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
100012	18.5L x 18.5W x 20H	859641007240	30	Bright White (6000K)	Black
100012-5	Available by Special Order – Contact Us for Details			Warm White (2700K)	Black

\*Posts sold separately in all above models



The unique, contemporary style of the Modern Commercial Grade Solar Post Light makes it perfect for any outdoor space, especially parks, commercial grounds, and residential communities. It fits standard 3" posts and is an excellent choice for replacing and retrofitting outdated gas or traditional electric lights. The light turns on automatically from dusk until dawn and, for added versatility, allows you to choose between a high or low output at the flip of a switch.

## Modern Commercial Solar LED Post Light

- Powered by efficient monocrystalline solar panel
- Automatic dusk to dawn operation
- Commercial-grade, corrosion-resistant powder-coated cast aluminum construction
- IP65-rated, weather-resistant design
- 24 SMD LEDs
- Exterior low/off/high switch
- 140° Detection zone
- 2 Operating Modes: PIR Motion Sensor / Constant On
- 20W tempered glass solar panel
- Timer feature allows 4-8 hours of duration or dusk to dawn operation



LUMENS



DURATION



2X  
LIFEPO4 batteries  
GS12\_8V60

GAMA SONIC BATTERY

102iST60012  
3" Fitter




TIMER



4,5,6,7,8 hours duration  
or 0 for dusk to dawn  
operation

High Setting



\*Beam diameter is based on quantity of illumination [IES Recommended Light Levels] RP-8-18 for Walkways/Bikeways of a minimum 0.2 Foot Candle.

Watch Product Video



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
102iST60012	19.5L x 19.5W x 28H	859641008261	24.6	Bright White (6000K)	Black

\*Posts sold separately in all above models



Gama Sonic's Denali is a commercial grade pedestrian lighting featuring Gama Sonic's exclusive Morph Technology where the solar panels are morphed into the light fixture for more powerful solar charge and longer light output. Mount the Denali as a single head or double head, this beautifully designed solar post light can be used to illuminate parks, communities, sidewalks, and campgrounds.

## Denali Commercial Solar LED Post Light w/ Timer

- Morph Technology
- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Commercial-grade, corrosion-resistant powder-coated cast aluminum construction
- AUV inhibited polycarbonate lamp head
- IP65-rated, weather-resistant design
- 33 SMD LEDs
- 26W solar panel
- Timer feature allows 4-8 hours of duration or dusk to dawn operation



600

LUMENS



3-6

NIGHTS DURATION



2X



GS32V12A


GAMA SONIC BATTERY

**Customizable Brightness Schedule:** Dynamic timing and brightness settings to meet your needs (adapts smartly to changing night durations) - Available For Special Order

[Watch Product Video](#)




229iM60012  
Single Lamp




2x 229iM60012  
Makes Double Lamp Configuration



4,5,6,7,8 hours duration  
or 0 for dusk to dawn operation



\*Beam diameter is based on quantity of illumination [IES Recommended Light Levels] RP-8-18 for Walkways/Bikeways of a minimum 0.2 Foot Candle.



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
229iM60012	23.125 L x 16.5W x 19.875H	859641008292	13	Bright White (6000K)	Black


\*Posts sold separately in all above models



Introducing Gama Sonic's Contemporary Square Solar Lamp Post Commercial Edition, specially designed for bus stop sign lighting, featuring a special dynamic 25/50/25 brightness schedule and versatile mounting bracket design to fit common U-Channel and Square sign posts. Lamps can also be used in other urban, commercial or industrial areas where practical and cost-effective lighting is needed.

## Contemporary Square Solar Post Light - Commercial Edition

- Powered by efficient monocrystalline solar panels
- Automatic Dusk to Dawn operation, featuring a special dynamic 25/50/25 brightness schedule: Automatically adjusts brightness levels throughout the night—starting at full brightness for the first 25%, transitioning to low brightness for the middle 50%, and returning to full brightness for the final 25% of the night—while adapting seamlessly to seasonal changes
- Commercial-grade, corrosion-resistant powder-coated cast aluminum construction
- IP65-rated, weather-resistant design
- 3 color temperature options: Warm White (3000K) / Natural White (4000K) / Bright White (5000K)
- 14W tempered glass solar panel
- 2 mounting options: center mount and side mount, versatile mounting bracket design to fit most common U-Channel and Square sign posts.



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
217iX20012	15L x 12.25W x 5H	185455000536	8.4	Warm White (3000K) + Natural White (4000K) + Bright White (6000K)	Black

\*Posts sold separately in all above models





The Imperial III Solar Light is a commercial grade solar lamp featuring both a warm-white (2700K) and bright white (6000K) light temperature, provided at a brilliant 300/600/900 lumens and for up to 6 nights (300 lumen per lamp). Continuing the Imperial series reputation for durability, functionality and style, its weather resistant construction is perfect for commercial and residential areas such as pedestrian walkways, parking lots, and community parks.


## Imperial III Commercial Solar Post Light

- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Commercial-grade, corrosion-resistant powder-coated cast aluminum construction
- IP65-rated, weather-resistant design
- 2 color temperature options: Warm White (2700K) / Bright White (6000K)
- 42 SMD LEDs per lamp head
- Beveled glass panes
- Patent #7172307
- 8W tempered glass solar panel

300  
LUMENS  
per lamp head

3-6  
NIGHTS  
DURATION

4X  
GS32V30  
GAMA SONIC  
BATTERY




\*Beam diameter is based on quantity of illumination [IES Recommended Light Levels] RP-8-18 for Walkways/Bikeways of a minimum 0.2 Foot Candle.

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
97K012	10.5L x 10.5W x 19.5H	859641007462	9.4		
97KF20	30L x 10.5W x 21.5H	859641007639	21.2		
97KF30	26.5L x 24.5W x 21.5H	859641007646	31.2	Warm White (2700K) + Bright White (6000K)	Black


\*Posts sold separately in all above models



97K012  
3" Fitter



97KF20  
Double Head • 3" Fitter




97KF30  
Triple Lamp Head • 3" Fitter

## Grand Imperial Commercial Solar LED Post Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Commercial-grade, corrosion-resistant powder-coated cast aluminum construction
- IP65-rated, weather-resistant design
- 2 color temperature options: Warm White (2700K) / Bright White (6000K)
- 17W tempered glass solar panel

700 LUMENS     
 4-8 NIGHTS DURATION     
 GS37V27A GAMA SONIC BATTERY



## Plaza Solar Wall Light



- Morph technology
- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Weather-resistant resin frame and cast-aluminum mounting arm construction | IP65-rated
- UV inhibited polycarbonate lamp head
- Exterior low/off/high switch
- Patent #9458970
- 8.5W solar panel

180 LUMENS     
 2 NIGHTS DURATION     
 2X GS32V30 GAMA SONIC BATTERY



MORPH TECHNOLOGY




Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
129F20	Available by Special Order – Contact Us for Details			Warm White (2700K)	Black

\*Posts sold separately in all above models

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
119BM50010	13.88L X 10.63W X 17.75H	859641007950	5.4	Warm White (2700K)	Black

## Commercial Solar Shelter Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Commercial-grade, corrosion-resistant resin construction
- IP65-rated, weather-resistant design
- 2 color temperature options: Warm White (2700K) / Bright White (6000K)

500  
LUMENS

3-6  
NIGHTS  
DURATION

GS12\_8V60  
GAMA SONIC  
BATTERY



## Solar Security & Area Light with Motion Sensor and Timer



- 810 Lumens (as Security Light)
- 100 Cycles (as Security Light)
- 270 Lumens (as Area Light)
- Up to 1 nights duration (as Area Light)
- GS37V60 Battery
- 4W tempered glass solar panel



- 1620 Lumens (as Security Light)
- 150 Cycles (as Security Light)
- 500 Lumens (as Area Light)
- Up to 2 nights duration (as Area Light)
- GS37V16A Battery
- 10W tempered glass solar panel



- 2800 Lumens (as Security Light)
- 150 Cycles (as Security Light)
- 980 Lumens (as Area Light)
- Up to 2 nights duration (as Area Light)
- GS32V24A Battery
- 16W tempered glass solar panel

- IP65 - weather resistant rating
- Durable ABS resin housing
- Timer Feature

Integrated PIR  
motion sensor



PIR Mode: Light turns on when motion is detected  
On Mode: Constant on



4,5,6,7,8 hours duration  
or 0 for dusk to dawn  
operation

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
160iX90819	Fixture: 15L x 5.38W x 3.75H Panel: 12.25L x 19W x 1H	850070551038	6	Warm White (2700K) + Bright White (6000K)	Silver

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
101iST60822	12L x 6W x 2H	859641008223	2	Bright White (6000K)	Dark Grey
201iS60822	20L x 8.5W x 2H	859641007837	5.5		
301iST60822	22.50L x 10.25W x 4H	859641008346	11.10		




## Dual Color Solar Flood Light


- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Commercial-grade, corrosion-resistant powder-coated cast aluminum construction
- IP65-rated, weather-resistant design
- 2 color temperature options: Warm White (2700K) / Bright White (6000K)
- 20 bright SMD LEDs
- 2 mounting options: flat surface mount / ground stake mount
- Exterior low/off/high control switch
- 4W tempered glass solar panel
- Includes 12 ft. extension cord for flexible solar panel placement and maximum sun exposure



250 LUMENS	Up to 20 HOURS DURATION	2X  GS37V40 GAMA SONIC BATTERY
------------	-------------------------	--------------------------------



\*Light spread based on Part #203001



500 LUMENS	Up to 20 HOURS DURATION	2X  GS37V40 GAMA SONIC BATTERY
------------	-------------------------	--------------------------------

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
203001	2.5L x 8W x 18H	859641007165	6	Bright White (6000K) + Warm White (2700K)	Black
303i90090	2.5L x 11W x 20.25H	850070551113	6		

## Solar Pillar Commercial Bollard




- Bi-facial solar panel technology
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 2 modes of operation: PIR 150 cycles/constant on mode with dusk to dawn operation
- Exterior low/off/high control switch
- Bi-directional or mono-directional light output
- 19W tempered glass solar panel



500  
LUMENS

up to 2  
NIGHTS  
DURATION

GS64V60  
GAMA SONIC  
BATTERY




Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
9iD50800	8.75L x 3.5W x 31.25H	859641007851	11	Warm White (3000K)	Grey

## Vantage Bollard Solar Pathway Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 2 mounting options: flat surface mount / ground stake mount
- Patents #9458970, #7172307
- 4.5W tempered glass solar panel
- Turtle-safe bulbs available



314B50000  
Flat Mount and Stake Mount



Turtle-safe bulbs sold separately, #A50TL10W, #A60TL20W #C37TL10W

200  
LUMENS


up to 3  
NIGHTS  
DURATION

3X  
GS32V30  
GAMA SONIC  
BATTERY

Part #	Quantity	Dimensions	UPC	Wgt	LED Color	Lamp Color
314B50000	1 Pack	10.25L x 10.25W x 31.25H	859641008407	4.4	Warm White (2700K)	Black
314BP250000	2 Pack		854433001086			

# Residential Series by **GAMA SONIC®**

Gama Sonic's Residential series solar lights can upgrade your home's curb appeal while using renewable energy from the sun to illuminate your home's outdoor areas. We help homeowners achieve a notable exterior home upgrade with very little effort or cost, inviting them to give their home an impressive, yet quick and easy facelift with upscale solar lighting.



## Victorian Morph Solar Light



- Morph Technology
- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Beveled glass panes
- Patents #7172307, #9458970
- 5.4W solar panel



150


LUMENS

up to 2  
NIGHTS  
DURATION2X GS32V30  
GAMA SONIC  
BATTERY

Includes Part #C37WW10W  
(Bright white sold separately)



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
94BM50010	11.375L x 9.25W x 21.25H	859641008247	10	Warm White (2700K)	Black
94BM500D2	10.25L x 25.25W x 99.75H	859641008230			



## Victorian Bulb Solar Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Exterior low/off/high control switch
- Beveled glass panes
- Patents #7172307, #9458970
- 2.4W tempered glass solar panel





Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
94B001	8L x 9.5W x 90H	853153005725	12.5		
94B002	8L x 25W x 87H	853153005732	19.5		
94B003	25L x 25W x 87H	853153005749	26.5		
94B033	8L x 9.5W x 15H	854433001505			
94B233	8L x 9.5W x 15H	185455000208	7		
94BS50033	8L x 9.5W x 15H	859641008001	4.4		



Gama Sonic's Aria Solar Wall Light is a beautiful, modern solar wall light designed to brighten any outdoor space. The Aria's 4 solar panels will maximize solar charge for longer light duration. There is no wiring required with this simple installation so your home's walkways, entryway, and backyard will quickly be illuminated with high-quality, solar lighting LED output with automatic dusk-to-dawn operation.

## Aria Solar Light

- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Patents #9458970, #D629950
- 5.6W trapezoid tempered glass solar panel

150  
LUMENSup to 12  
HOURS  
DURATIONGS32V30  
GAMA SONIC  
BATTERY66B50010  
Wall Mount66B50001  
Single Lamp + 8ft Pole66B50002  
Double Lamp + 8ft Pole

Includes Part  
#A60WW20W  
(Bright white  
sold separately)

Part #	Dimensions	UPC	WgtK	LED Color	Lamp Color
66B50010	11.25L x 9.38W x 17.38H	859641008384	6		
66B50001	16.75L x 9.375W x 99H	859641008810	17.2	Warm White (2700K)	Black
66B50002	9.375L x 26W x 99H	859641008810	22.6		



## Royal Bulb Solar Light Brushed Bronze

### IMPROVED: 60% More Charging Power

- Automatic dusk to dawn operation
- Cast-aluminum weather resistant structure
- Rain glass panes
- Patents #7172307, #9458970
- 6W trapezoid tempered glass solar panel

150  
LUMENSup to 2  
NIGHTS  
DURATION

2X ➔  
GS32V15  
GAMA SONIC  
BATTERY


98B110  
Wall Mount98B111  
Pier Mount98B112  
3" Fitter98B101  
Single Lamp + Pole

Includes Part  
#A50WW10W  
(Bright white  
sold separately)

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
98B110	12.5L x 8.75W x 21H	859641007059	7	Warm White (2700K)	Brushed Bronze
98B111	8.75L x 8.75W x 23H	859641007042	9.5		
98B112	8.75L x 8.75W x 18H	859641007035	9.5		
98B101	8.75L x 8.75W x 87H	859641007011	15		

The Royal Bulb Solar Lamp Series is constructed of weather resistant, powder-coated brushed bronze cast aluminum and rain glass panes. The lights feature an attractive design inspired by New Orleans architecture. It incorporates our cutting-edge GS Solar LED Light bulb technology and provides 360-degree illumination. Now available with 2.5X larger solar panels for more charging power.

## Royal Bulb Solar Light Black



### IMPROVED: 60% More Charging Power

- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Beveled glass panes
- Patents #7172307, #9458970
- 6W trapezoid tempered glass solar panel

150  
LUMENS

up to 2  
NIGHTS  
DURATION


2X  
GS32V15  
GAMA SONIC  
BATTERY

Includes Part  
#A50WW10W  
(Bright White  
sold separately)



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
98B011	8.75L x 8.75W x 23H	859641007400	7.5	Warm White (2700K)	Black
98B012	8.75L x 8.75W x 18H	853153005930	6.5		
98B010	12.5L x 8.75W x 21H	859641007417	9.5		
98B001	8.75L x 8.75W x 23H	859641007400	7.5		
98B50003	27L x 27W x 89H	185455000581	30		

## Royal Bulb Solar Light Weathered Bronze



### IMPROVED: 60% More Charging Power


- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Beveled glass panes
- Patents #7172307, #9458970
- 6W trapezoid tempered glass solar panel

150  
LUMENS

up to 2  
NIGHTS  
DURATION

2X  
GS32V15  
GAMA SONIC  
BATTERY

Includes Part  
#A50WW10W  
(Bright white  
sold separately)



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
98B310	12.5L x 8.75W x 21H	853153005923	9.5	Warm White (2700K)	Weathered Bronze
98B311	8.75L x 8.75W x 23H	853153005916	7.5		
98B312	8.75L x 8.75W x 18H	853153005909	6.5		
98B301	8.75L x 8.75W x 87H	853153005879	15		
98B302	8.75L x 27W x 89H	853153005886	24		
98B303	27L x 27W x 89H	853153005893	30		

## Haven Solar Light




- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Exterior low/off/high control switch
- Patents #7172307, #9458970
- 3.5W tempered glass solar panel

130 LUMENS

up to 2 NIGHTS DURATION

GS32V15 GAMA SONIC BATTERY



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
205B50033	9L x 9W x 11.63H	850070551045	2	Warm White (2700K)	Black
205B50071	11.25L x 12W x 73.5H	850070551069	6.8		White
205B50233	9L x 9W x 11.63H	850070551052	2	Warm White (2700K)	Black
205B50271	11.25L x 12W x 73.5H	850070551076	6.8		White

## Baytown II Bulb Solar Lamp



- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Patents #7172307, #9458970
- 3.2W tempered glass solar panel

130 LUMENS


up to 12 HOURS DURATION

GS32V15 GAMA SONIC BATTERY



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
105BSG01	9.5L x 12W x 77H	185455000109	11	Warm White (2700K)	Black
105B033	9.5L x 9.5W x 19H	853153005022	5		White
105BSG21	9.5L x 12W x 77H	859641007813	11	Warm White (2700K)	Black
105B233	9.5L x 9.5W x 19H	859641007806	6		White

## Pagoda Bulb Solar Lamp



### New & Improved 80% More Charging Power

- Automatic dusk-to-dawn operation
- Cast-aluminum weather resistant construction | IP65-rated
- Clear glass panes
- Patents #7172307, #9458970
- 6.8W trapezoid tempered glass solar panel

200 LUMENS

up to 2 NIGHTS DURATION

GS32V30 GAMA SONIC BATTERY



104B033 Wall/Pier/3" Fitter Mounts



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
104B033	14L x 11W x 22H	859641007325	12	Warm White (2700K)	Black
104B001	11L x 11W x 87H	859641007332	18		

## Polaris Solar Light



- Coastal approved
- IP65 - weather resistant rating
- ABS rigid resin with UV protection
- Automatic dusk to dawn operation
- Patents #7172307, #9458970
- 4.2W tempered glass solar panel

130 LUMENS

up to 12 HOURS DURATION

2X GS32V15 GAMA SONIC BATTERY



177B50002 Double Lamp + Pole



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
177B50002	9.13L x 27W x 91.88H	859641007974	15	Warm White (2700K)	Black
177010	10L x 9.5W x 12H	859641007219	4.2		

## Orion Solar Light



- Morph technology
- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Rigid resin weather resistant construction | IP65-rated
- Exterior low/off/high control switch
- Patent #9458970
- 4W solar panel

150 LUMENS     
 up to 2 NIGHTS DURATION     
 2X GS32V15 GAMA SONIC BATTERY



Includes Part #A50WW10W (Bright white sold separately)

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
123010	8.5L x 10.5W x 13H	185455000574	3.4		
123BM5001	19L x 9W x 94.63H	859641007967	10.4	Warm White (2700K)	Black
123BM5003	23.75L x 26.25W x 94.63	859641007981	14		

## Prairie Bulb Solar Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Clear glass panes
- Patents #7172307, #9458970
- 3W tempered glass solar panel

250 LUMENS     
 up to 12 HOURS DURATION     
 GS32V30 GAMA SONIC BATTERY



Includes Part # A60WW20W (Bright white sold separately)

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
114B033	7L x 7W x 14H	185455000079	3.2		
115B50033	8.625L x 8.625W x 15.75H	859641007394	5.8	Warm White (2700K)	Black

## Modern Nova Translucent Solar Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Exterior low/off/high control switch
- Patent #12199558, #9458970
- 6W tempered glass solar panel

130 LUMENS

up to 2 NIGHTS DURATION

GS32V30 GAMA SONIC BATTERY



Includes Part #A50WW10W (Bright white sold separately)

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
55BZ50033	7.13L x 5.5W x 14.8H	850070551205	5.4	Warm White (2700K)	Black

## Amphora Flame Bulb Solar Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather resistant construction | IP65-rated
- 2 mounting options: flat surface pier mount / 3" fitter mount
- 2 bulbs included: flickering flame / warm white
- Exterior low/off/high control switch
- Patent #9458970, #7172307
- 1.7W tempered glass solar panel

120 LUMENS

up to 12 HOURS DURATION

GS32V15 GAMA SONIC BATTERY




Includes Part #F30WW05W and #C37WW10W

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
12FMB50023	5.5L x 5.5W x 12.13H	850070551144	1.8	Warm White (2700K)	Black

## Novaedge Solar Light



64B50011



64B50012

- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant structure
- IP65 - weather resistant rating
- Exterior low/off/high switch
- 5W tempered glass solar panel



200

LUMENS





up to 2

NIGHTS DURATION



GS32V30

GAMA SONIC BATTERY

Includes Part  
#T20LWW04W64B50011  
Pier Mount64B50012  
3' Fitter

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
64B50011	9.5L x 9.5W x 16.94H	854433001208	6.6	Warm White (2700K)	Black
64B50012	7.88L x 7.88W x 20.38H	185455000598	7		

## Aspen Solar Light

120  
LUMENS800012  
3' Fitter

250

LUMENS



up to 2

NIGHTS DURATION




GS32V15

GAMA SONIC BATTERY

Includes Part  
#A60WW20W  
(Bright white  
sold separately)8BE40012  
3' Fitter

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
800012	9L x 9W x 15H	859641007134	7	Warm White (2700K)	Black
8BE40012		850070551120	4.8		

## Imperial Trio Bulb Solar Post Light




- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Exterior low/off/high control switch
- Beveled glass panes
- Patent #9458970
- 8.8W trapezoid tempered glass solar panel

**180**  
 LUMENS

**up to 2**  
 NIGHTS DURATION

2X **GS32V30**  
 GAMA SONIC BATTERY



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
37BC50012	10.75L x 10.75W x 24.25H	185455000338	9.8	Warm White (2700K)	Black

## Halo Solar Post Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 2 color temperature options: Warm White (2700K) / Bright White (6000K)
- Exterior low/off/high control switch
- 7.5W tempered glass solar panel

**300**  
 LUMENS

**up to 2**  
 NIGHTS DURATION

2X **GS32V15**  
 GAMA SONIC BATTERY



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
315i90012	10L x 10W x 14.63H	185455000697	6.2	Bright White (6000K)	Black



## Contemporary Square Solar Post Light w/ Timer

- Powered by efficient monocrystalline solar panels
- Automatic dusk to dawn operation
- Corrosion resistant powder coated cast aluminum
- 3 color temperature options: Warm White (3000K) / Natural White (4000K) / Bright White (5000K)
- 14W tempered glass solar panel
- 2 mounting options: center mount and side mount
- Timer feature allows 4-8 hours of duration or dusk to dawn operation

500  
LUMENS2-4  
NIGHTS  
DURATIONGS32V15A  
GAMA SONIC  
BATTERY

Warm White (3000K)



Natural White (4000K)



Bright White (5000K)

217i20012  
3" Fitter


2 Mounting Options



SIDE MOUNT




CENTER MOUNT

217i20001  
Single Lamp + 8ft  
Square Pole

Introducing Gama Sonic's Contemporary Square Solar Lamp Post with Built in Timer and accompanying 8ft modern square pole, designed to transform outdoor spaces with its radiant 500 lumen output. Perfect for parks, playgrounds, and shopping lots, this solar post light has a versatile illumination that enhances safety and ambiance alike. With three color temperature settings to suit any environment, paired with its sleek, modern design, this contemporary combination seamlessly blends functionality with style, illuminating your outdoor space with both efficiency and elegance.

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
217i20001	17.5L x 12.25W x 98.75H	859641008780	19	3000K/4000K/5000K	Black
217i20012	12.25L x 12.25W x 5H	859641008797	7.4		

## Eclipse Downlight Solar Wall Light




- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 3 color temperature options: 3000K / 4000K / 5000K
- Exterior low/off/high control switch
- 7W tempered glass solar panel




200 LUMENS  
 up to 2 NIGHTS DURATION  
 2X GS32V30 GAMA SONIC BATTERY

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
56iM50010	5.25L x 5.25W x 15H	185455000635	3.4	Warm White (3000K) + Natural White (4000K) + Bright White (6000K)	Black

## Eclipse Backlight Solar Wall Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 3 color temperature options: 3000K / 4000K / 5000K
- Exterior low/off/high control switch
- 7W tempered glass solar panel



200 LUMENS  
 up to 2 NIGHTS DURATION  
 2X GS32V15 GAMA SONIC BATTERY

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
59iM50010	2.83L x 4.75W x 15.75H	185455000604	4	Warm White (3000K) + Natural White (4000K) + Bright White (6000K)	Black

## Cottage Solar Barn Light




- Morph Technology
- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Patents #9458970
- 8.4W solar panel

250  
LUMENS

up to 3  
NIGHTS  
DURATION

2x GS32V30  
GAMA SONIC  
BATTERY



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
224BM50044	28L x 14.5W x 15H	859641008988	5.2	Warm White (2700K)	Black
224BM50244		859641008100			White
224BM50844		859641008995			Galvanized

## Carriage Solar Barn Light





- Morph Technology
- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Resin weather-resistant construction | IP65-rated
- Patent #9458970
- 7.2W tempered glass solar panel

150  
LUMENS

up to 2  
NIGHTS  
DURATION

2X GS32V15  
GAMA SONIC  
BATTERY



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
225BM50044	14L x 11.25W x 11.63H	185455000277	2.2	Warm White (2700K)	Black


## Modern Farmhouse Solar Wall Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Glass panes
- Exterior low/off/high control switch
- 3.8W tempered glass solar panel


 80 LUMENS  
 up to 2 NIGHTS DURATION  
 GS32V30 GAMA SONIC BATTERY



  
 Includes Part #T20LWW04W

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
130B50010	6.13L x 7.75W x 14.5H	185455000116	5.8	Warm White (2700K)	Black

## Architectural Solar Wall Accent Light w/ Motion Sensor



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- Exterior low/off/high control switch
- Bright white (6000K) motion activated security light
- Warm white (2700K) backlit accent light
- 1.2W tempered glass solar panel

 120 LUMENS  
 up to 18 HOURS DURATION  
 GS32V15 GAMA SONIC BATTERY



 Integrated PIR motion sensor

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
4iP2S50010	3L x 8W x 5H	859641008056	1.2	Warm White (2700K)	Black

## Solar Address Plaque Light with Ground Stakes




- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 2 color temperature options: Warm White (2700K) / Bright White (6000K)
- 2 mounting options: wall mount / ground stake mount
- 4pcs each of 0-9 | 1 each of A,B,C,D,E
- 1.5W solar panel

15 LUMENS  
 up to 12 HOURS DURATION  
 SB37V08 GAMA SONIC BATTERY



## Grand Solar Uplight Planter Base



- Automatic dusk to dawn operations
- Resin weather-resistant construction
- Designed for bases 13 inches in diameter or smaller
- 1.2W tempered glass solar panel


60 LUMENS  
 up to 12 HOURS DURATION  
 2X SB37V20 GAMA SONIC BATTERY



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
81i90010	2.25L x 10.68W x 8.13H	59641008254	1.2	Bright White (6000K) + Warm White (2700K)	Black

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
78i50265		859641008919		White	
78i50465		859641008926		Brown	
78i50865		859641008933		Grey	

## Contemporary Square Solar Path Light



Warm White



Bright White

- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 2 color temperature options: Warm White (2700K) / Bright White (6000K)
- Exterior low/off/high control switch
- 2W tempered glass solar panel

80  
LUMENS

up to 2  
NIGHTS  
DURATION

GS37V20FLT  
GAMA SONIC  
BATTERY



## Sentry Modern Pathway Solar Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 2 mounting options: flat surface mount / ground stake mount
- 1.2W tempered glass solar panel

60  
LUMENS

up to 2  
NIGHTS  
DURATION

GS32V15  
GAMA SONIC  
BATTERY



Part #	Quantity	Dimensions	UPC	Wgt	LED Color	Lamp Color
117iP290080	2 Pack	6.13L x 6.13W x 26.75H	859641007752	2.2	Bright White (6000K) + Warm White (2700K)	Black
117iP490080	4 Pack		850070551083	4.4		

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
92iP260082	4.75L x 3W x 24H	859641008483	2	Bright White with White Accent	Black

## Solar Garden Light Shepherd Hook



- Morph technology
- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum pole and resin frame weather-resistant construction | IP65-rated
- Patent #9458970
- 4.8W solar panel
- 8x more charging power than the average solar light

80  
LUMENS

up to 12  
HOURS  
DURATION

GS32V15  
GAMA SONIC  
BATTERY




**MORPH  
TECHNOLOGY**



Includes Part  
#C37WW10W  
(Bright white sold  
separately)

## Tri-Color Progressive Solar Spotlight



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 3 color temperature options: Warm White (3000K) / Natural White (4000K) / Bright White (5000K)
- 5 mounting options: solar panel and fixture can be mounted together or separately
- 2 installation options: flat surface mount / ground stake mount
- Exterior low/off/high control switch
- 2W tempered glass solar panel
- Detachable solar panel with 8 ft cord for flexible solar panel placement and maximum sun exposure
- Includes additional 12 ft extension cord

NEW



103i90090  
Stake and Flat Mount

100  
LUMENS



up to 10  
HOURS  
DURATION

GS32V30  
GAMA SONIC  
BATTERY

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
148BP250080	7L x 7W x 28.5H	859641008537	2	Warm White (2700K)	Black

Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
103i90090	7L x 5W x 15H	185455000789	4.2	Warm White (3000K) + Natural White (4000K) + Bright White (6000K)	Black

## Luxor Stainless Steel Bollard Solar Light



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Weather resistant resin with stainless steel bollard construction | IP65-rated
- 1.6W tempered glass solar panel



Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
144i58070	5L x 5W x 20.25H	859641008964	1.85	Warm White (2700K)	Black

## Luxor Solar Pathway Light Set of 2



- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Cast-aluminum weather-resistant construction | IP65-rated
- 1.6W tempered glass solar panel




Part #	Dimensions	UPC	Wgt	LED Color	Lamp Color
146iP250080	4.375L x 4.375W x 23H	859641008971	1.6	Warm White (2700K)	Black

## Luxor Solar Post Cap Light




- Powered by efficient monocrystalline solar panels
- Automatic dusk-to-dawn operation
- Resin weather-resistant construction | IP65-rated
- 1.2W tempered glass solar panel



Part #	Quantity	Dimensions	UPC	Wgt	LED Color	Lamp Color
144iP2500KIT	2 Pack	4.375L x 4.375W x 4H	859641008940	0.6	Warm White (2700K)	Black
144iP2502KIT	2 Pack		859641008957			

## Gothic Solar Post Cap Light Set of 2



- Powered by efficient monocrystalline solar panels
- Automatic dusk to dawn operation
- Exterior low/off/high switch
- Dual color temperature: switch between warm white (3100K) or bright white (6000K)
- Rigid ABS resin exterior
- Patent #7172307
- 2.65W tempered glass solar panel

 40 LUMENS
  up to 2 NIGHTS DURATION
  GS32V15 GAMA SONIC BATTERY



Part #	Quantity	Dimensions	UPC	Wgt	LED Color	Lamp Color
143iP2900KIT	2 Pack	3.6L x 3.6W x 7H	859641007363	1.56	Bright White (6000K) + Warm White (2700K)	Black
143iP2902KIT	2 Pack		85964100737			

## Luna II Solar Post Cap/Pier Mount Light Set of 2



- Powered by efficient monocrystalline solar panels
- Automatic dusk to dawn operation
- 1.2W tempered glass solar panel
- Patent #7172307, 9458970
- 2 mounting options: 4x4 fence post cap mount and pier mount

 50 LUMENS
  up to 2 NIGHTS DURATION
  GS32V15 GAMA SONIC BATTERY



Part #	Quantity	Dimensions	UPC	Wgt	LED Color	Lamp Color
84BP250011	2 Pack	5L x 5W x 9H	859641008834	2.4	Warm White (2700K)	Black

## Accessories

### Batteries

Gama Sonic® uses the highest quality batteries and technology to power our solar lights. Our batteries are strategically matched with a solar lamp to maximize its duration and brightness. As technology continues to be increasingly important in the growing solar lighting world, we set the industry standard on quality battery solutions. We only use specially designed products that are packed, sealed, and use an external harness to eliminate corrosion and provide the superior charging and powering of the light our customers expect.

To learn more visit [gamasonic.com](http://gamasonic.com)

#### New turtle safe bulbs available\*

A50TL10W

A60TL20W

C37TL10W


### GS Solar LED Light Bulb

Patent #945897

Works only with Gama Sonic bulb series fixtures




### EZ-Anchor Solar Lamp Post Anchor Kit



\*Not applicable on commercial posts

NOTE: 30001 EZ-Anchor Lamp Post Base is built to support ONLY single lamps on a Gama Sonic® Decorative or Imperial Post. DO NOT USE to support multi-lamp products.



Part #	UPC	Pkg. Size (in)	Wgt
30001	18545500024	26L x 12W x 12H	6
97NWKIT0	18545500055	9L x 8W x 6H	1.5
PBM00	859641007387	6.25L x 6.25W x 2.25H	0.4
3BCKIT80	18545500345	5.38L x 5.38W x 9.25H	1



## Posts

- All our poles fit most 3" post top fixtures
- Matte finish cast aluminum weather resistant poles

### Commercial Posts



\*\*DBP10F0 10 FT.

\*\*Requires freight shipping

### Residential Posts



Part #	UPC	Pkg. Size (in)	Wgt
CP65F0	853153005855	11.6L x 15.5W x 29H	20
CP8F0	853153005756	11.6L x 15.5W x 38H	22
CP10F0	853153005763	11.6L x 15.5W x 48.5H	25
DP55F2	185455000239	9L x 11W x 24H	8
DP55F0	185455000185	12.5L x 10W x 32H	11
97SP0	185455000031	9.75L x 25.13W x 13H	8
DPEZ5F0	859641008148	3L x 3W x 143.25H	19.6
DBP10F0	859641008353		



# **GAMA SONIC®** **SOLAR LIGHTING**

Gama Sonic USA Inc.

6185-F Jimmy Carter Boulevard  
Norcross, Georgia 30071 USA

[info@gamasonic.com](mailto:info@gamasonic.com)

Tel: 1 800 835 4113  
Fax: 1 800 835 4173